



R+M **Süttner**
The choice of perfection




Everything for professional carwash foaming

easy wash 365+
easy foam 365+

Everything for professional carwash foaming



The choice of perfection



R+M Nr.
594 121

R+M Nr.
592 13
570 71

R+M Nr.
343 154 301

R+M Nr.
570 50

R+M Nr.
599 121 5

R+M Nr.
598 912 169
598 010 809

R+M Nr.
109 767 921

easy wash 365+

R+M Nr.
925 513 801

easyfoam365+ and easywash365+ foam application in the car wash industry:

Everything for professional foam cleaning of vehicles as from an operating pressure of 120 bar. Easy and convenient handling with easywash365+ products including patented LTF system for very easy professional car wash.

R+M Nr.
618 20

R+M Nr.
202 600 980

R+M Nr.
464 052 304

R+M Nr.
570 50

R+M Nr.
461 052 604

R+M Nr.
592 13
200 160 603
596 123 8

R+M Nr.
593 121

R+M Nr.
200 031 530

R+M Nr.
595 121

R+M Nr.
570 50

R+M Nr.
202 600 995

R+M Nr.
105 660

R+M Nr.
105 000 002

Everything for professional carwash foaming

Very easy handling

LTF

Minimum holding and trigger force by the worldwide unique LTF technology.

Professional high pressure spray gun characterized by the ingenious trigger force - ergonomic and very easy handling.

More performance, more durability and more ergonomics:

Our engineering team always aims at searching for, developing and testing new solutions in order to steadily make high pressure cleaning more effective.

With our patented "Low Trigger Force" your benefit is a very easy handling even in case of long high pressure applications! You are invited to experience 90 % reduced holding force and 40 % reduced trigger force against usual market guns.


You can rely on us. We are aware of your requirements - after all, it is precisely in these that we perceive the key to our success.

Motor pump combination:

Annovi Reverberi type MTP HXM 15.15

400 V. This model is equipped with a regulation valve, delayed total stop control, pressure gauge, 5 m electric cable and an on-off switch.

Inlet 1/2" M,
outlet 3/8" M.
Max. 30 °C



R+M Nr.
170 278 70



Carwash Solutions



www.rm-suttner.com



Your requirements – our strong point!

CARWASH COMFORT

The perfect HP-hose for self-service washing bays

- » High standard of easy and comfortable use in combination with spraying equipment, e.g. brush lance
- » Light weight, 92 g/m at DN 6. More than half in weight in comparison to an usual self-service hose
- » Chemically resistant, smooth interior made out of PES
- » Transparent surface made out of a thermoplastic elastomer, depending on colour: CCBL, CCRT, CCGR, CCGE, CCGN
- » Oil-, UV-, ozone-resistant and weatherproof
- » Flexible in case of low temperatures: -40 °C – +60 °C, -40 °F – +140 °F
- » High-tensile polyester reinforcing, working pressure of up to 200 bar. Burstpressure > 800 bar

1/4" female thread (DKR) : 1/4" female thread (DKR)



R+M Nr.	length
461 052 603 5	3.5 m
461 052 603 7	3.7 m
461 052 604	4.0 m
461 052 604 2	4.2 m
461 052 604 5	4.5 m
461 052 604 7	4.7 m
461 052 605	5.0 m

R+M Nr.	length
464 052 303 5	3.5 m
464 052 303 7	3.7 m
464 052 304	4.0 m
464 052 304 2	4.2 m
464 052 304 5	4.5 m
464 052 304 7	4.7 m
464 052 305	5.0 m


Quality
Made in Germany
Suttner
certified according
to ISO 9001:2008
and TN-S A75-018



Everything for professional carwash foaming



The choice of perfection



easywash365+ high-pressure ceiling boom:
 Sturdy and maintenance-free swivel arms have been well-proven for decades and are available in different lengths and designs - perfectly matching any wash bay!

R+M Nr.
594 121

R+M Nr.
592 13
570 71

R+M Nr.
343 154 301

R+M Nr.
570 50

R+M Nr.
570 50

R+M Nr.
599 121 5

R+M Nr.
598 912 169
598 010 809

R+M Nr.
925 513 801

R+M Nr.
109 765 926

R+M Nr.
109 765 926

900

1.550



R+M Nr.
592 13
200 160 602
596 123 8

R+M Nr.
593 121

R+M Nr.
200 031 530

R+M Nr.
464 052 304

R+M Nr.
502 621 000 05

R+M Nr.
461 052 604

R+M Nr.
570 50

R+M Nr.
595 121

R+M Nr.
105 640

R+M Nr.
570 50

R+M Nr.
202 600 980

R+M Nr.
105 000 002

R+M Nr.
618 20

R+M Nr.
105 810

4.600

Everything for professional carwash foaming

turbofoam365+ brush lance

easywash365+ spray gun, lance and brush with turbofoam365+ air injector

- » easywash365+ spray gun, lance and brush with turbofoam365+ air injector
- » convincing foam quality due to the newly developed air injector
- » especially soft cleaning with very soft hog bristles with forked ends
- » Cool & Compact insulation for a comfortable use
- » ergonomic handling by means of the well-tryed easywash365+ gun with LTF technology
- » lance swivel ST-345 is optionally available



Convincing foam quality!

R+M Nr.
502 621 100 05



turbofoam365+ brush lance:

lance with moulded insulation Cool & Compact, easywash365+ spray gun, easywash365+ lance swivel, air injector turbofoam365+ and brush (bristles 60 mm). 20-150 bar. Max. 50 °C



easywash365+ brush holder:

Container with overflow and lateral drain for cleaning.

For wall and floor mounting.

H x W x D = 670 x 340 x 143 mm.

Stainless steel

R+M Nr.
105 810



RM Suttner products, perfectly in tune with each other to achieve the best possible cleaning result.

Underbody lance ST-97.1


Underbody lance for self-service underbody washing

- » long underbody lance for best accessibility of the entire underside with smoothly running plastic castors (POM) for easily manoeuvring
- » excellent cleaning effect without affecting moving parts, brakes or electric components
- » max. 120 bar in case of use at self-service washing bays
max. 40 l/min. 100 °C
- » stainless steel lance covered with a soft plastic coating



R+M Nr.
200 097 802

High cleaning power!




Underbody lance ST-97.1

Rolls: POM. Pipe: stainless steel, plastic-coated. 3 nozzles 1/8" M are required. Spraying angle of 25°

Everything for professional carwash foaming



The choice of perfection



R+M Nr.
592 13
570 71

R+M Nr.
343 154 301

R+M Nr.
570 50

R+M Nr.
570 50

R+M Nr.
594 121

R+M Nr.
599 121 5

R+M Nr.
598 912 169
598 010 809

R+M Nr.
925 513 801

R+M Nr.
109 765 926

R+M Nr.
109 679 28

R+M Nr.
463 052 704

easywash365+ high-pressure ceiling boom:
Sturdy and maintenance-free swivel arms have been well-proven for decades and are available in different lengths and designs - perfectly matching any wash bay!

R+M Nr.
461 052 604

R+M Nr.
570 50

R+M Nr.
202 600 950

R+M Nr.
592 13
200 160 602
596 123 8

R+M Nr.
200 031 530

R+M Nr.
464 052 304

R+M Nr.
502 621 000 05

R+M Nr.
202 600 995

R+M Nr.
593 121

R+M Nr.
105 000 002

R+M Nr.
105 810

R+M Nr.
105 640

R+M Nr.
105 630

4.600

50

900

1.550

Everything for professional carwash foaming

easywash365+ Wash brush holder, two-piece

The ideal rack for delicate washing brushes


- » Two-piece holder for wash brush lances of various lengths
- » Dimensions holder: H x W x D: 315 x 305 x 120 mm
- » Dimensions support pipe: Pipe Ø 42 mm / base Ø 102 mm, height adjustable from 570 to 1,000 mm
- » High-quality design, stainless steel plate with a thickness of 2 mm



Opening in holder for cleaning purposes:

Through an opening at the side, the brush can be cleaned using the high-pressure lance to remove coarse dirt before applying foam.

This is possible without having to remove the brush lance from the holder.



R+M Nr.
105 820

Well thought out!

easywash365+ Prewashing trolley, ideal for the use in prewash areas

The mobile stainless steel prewash trolley

- » Material: Trolley and tub made entirely of stainless steel
- » Ready-to-connect system: only connected to the water pipe. Including ST-45 inlet coupling (hose nozzle with plug nipple for 1/2" DN 13 or 3/4" DN 19) and drain valve on the underside (with hose barb for DN 13)
- » The water and detergent supply is automatically closed or opened by a float valve
- » The detergent can be dosed using various dosing nozzles supplied
- » High quality tires made from abrasion-resistant material
- » Space for detergent canisters up to 30 liters
- » Two separate areas for different brushes



R+M Nr.
105 830

Simple and agile!

easywash365+ High-pressure car wash guns

The well-proven high-pressure car wash guns now available with integrated swivels running in ball bearings

- » High-quality, integrated maintenance-free swivel joint, corrosion-resistant and very smooth-running.
- » Extra-long service life of connected hoses guaranteed by the swivel protecting the hoses from twisting
- » Convenient 360° handling in any cleaning application.
- » Max. 310 bar / 45 l/min / 150 °C
- » Gun inlet: 3/8" F, swivelling, gun outlet: 1/4" F
- » All guns with integrated ball-bearing swivel also feature the proven Low Trigger Force technology and are available with weep and freeze stop option or as standard version.



LTF


360° swiveling

easywash365+ Standard Professional gun. Standard. With swivel running in ball bearing. Max. 310 bar / 45 l/min / 150 °C

R+M Nr.
202 600 514

Especially smooth-running!





R+M Nr.
594 18

R+M Nr.
189 211 0

R+M Nr.
107 308 069

R+M Nr.
599 182 0

R+M Nr.
361 146 610

R+M Nr.
593 18

R+M Nr.
570 88
592 18

R+M Nr.
107 901 9

R+M Nr.
107 308 09

750 - 1.000

750 - 1.000

R+M Nr.
592 18
570 90

R+M Nr.
595 18

R+M Nr.
200 160 604
576 65

R+M Nr.
107 708 09

R+M Nr.
107 308 09

R+M Nr.
107 008 09

R+M Nr.
107 608 09

R+M Nr.
570 80
592 18

R+M Nr.
202 600 550

R+M Nr.
570 80

R+M Nr.
200 031 530

R+M Nr.
040 002 055

R+M Nr.
570 80

R+M Nr.
598 915 199
598 010 809

R+M Nr.
202 600 550

R+M Nr.
040 002 055

R+M Nr.
570 45
200 085 800

R+M Nr.
361 146 610

R+M Nr.
105 000 002

R+M Nr.
070 008 009

R+M Nr.
200 075 553

R+M Nr.
619 00

easy wash 365+
easy foam 365+



R+M
The choice of perfection
Carwash Solutions



The choice of perfection

Your requirements are our strengths!

easyfoam365+ foam application in truck wash industry:

Everything for professional foam cleaning of vehicles as from an operating pressure of 120 bar.

Take advantage of our product range, perfectly in tune to each other to achieve the best possible cleaning result.



R+M Nr.
170 260 58



Motor pump combination:

400 V. This model is equipped with a regulation valve, delayed total stop control, pressure gauge, 5 m electric cable and an on-off switch. Inlet 1/2" M, outlet 3/8" M. Max. 150 bar at 26 l/min. Max. 30 °C



Foam head ST-75:

Brass. ST-75 with nozzle.
Max. 350 bar / 100 °C

R+M Nr.	Size	Inlet
200 075 553	1.90 mm	1/4" F

LTF



Professional gun:

with patented LTF technology
Max. 310 bar / 45 l/min / 150 °C

R+M Nr.	Outlet	Inlet
202 600 550	1/4" F	3/8" F swivel



easyfoam365+ injector:

3/8" F : 3/8" M : hose tail 9 mm.
Injector ST-160 with metering valve ST-161.
Max. 350 bar / 90 °C

R+M Nr.	Size
200 160 604	1.6 mm

R+M Nr.
105 000 030

R+M Nr.
107 000 830

R+M Nr.
706 27

R+M Nr.
594 22

R+M Nr.
596 223 4

R+M Nr.
107 000 301

R+M Nr.
107 000 051

R+M Nr.
571 10

R+M Nr.
107 000 779

R+M Nr.
593 22

R+M Nr.
598 920 239

R+M Nr.
170 211 84

R+M Nr.
599 222 0

R+M Nr.
576 79
596 223 4

R+M Nr.
570 90

R+M Nr.
200 285 500

R+M Nr.
200 167 516

R+M Nr.
200 168 420

R+M Nr.
200 163 185

R+M Nr.
105 000 020

R+M Nr.
040 004 013

R+M Nr.
361 156 610

R+M Nr.
200 031 510

R+M Nr.
200 031 530

R+M Nr.
200 031 520

R+M Nr.
203 500 560

R+M Nr.
570 90

R+M Nr.
105 000 002

R+M Nr.
361 156 620

R+M Nr.
105 610 060



The choice of perfection





750 - 1,000

750 - 1,000

R+M Nr.
107 000 825

R+M Nr.
107 901 9

R+M Nr.
107 000 779

R+M Nr.
107 408 0

R+M Nr.
107 000 801

R+M Nr.
371 158 030

R+M Nr.
571 10



R+M Nr.
200 082 729

R+M Nr.
525 000 10

R+M Nr.
525 050 10



easy wash 365+
easy foam 365+

R+M Nr.
105 830

Unser

6

easy wash 365+
easy foam 365+

